FIG. 1A (PRIOR ART)





FIG. 1B (PRIOR ART)



DOCKET NO.: 1349.1333

FIG. 2A (PRIOR ART)




FIG. 2B (PRIOR ART)




FIG. 2C (PRIOR ART)

FIG. 2D (PRIOR ART)




FIG. 2E (PRIOR ART)




FIG. 3A (PRIOR ART)




FIG. 3B (PRIOR ART)




FIG. 3C (PRIOR ART)




FIG. 4A (PRIOR ART)




FIG. 4B (PRIOR ART)




FIG. 4C (PRIOR ART)



TITLE: MONOLITHIC BUBBLE-INK JET PRINT HEAD HAVING ANTI-CURING DEFORMATION PART AND FABRICATION METHOD THEREOF

INVENTORS: Myung-Song JUNG et al SERIAL NO.: TO BE ASSIGNED DOCKET NO.: 1349.1333

FIG. 5A (PRIOR ART)




FIG. 5B (PRIOR ART)




FIG. 5C (PRIOR ART)

FIG. 6 (PRIOR ART)





FIG. 7A








FIG. 7C




FIG. 8A




FIG. 8B




FIG. 8C





FIG. 8D



DOCKET NO.:

FIG. 8E




FIG. 8F




FIG. 9A




FIG. 9B




FIG. 9C





FIG. 9D






FIG. 9F




FIG. 9G




FIG. 10A

200




FIG. 10B





FIG. 10C



DOCKET NO.: 1349.1333

FIG. 11A




FIG. 11B




FIG. 11C





FIG. 11D



INVENTORS: Myung-Song JUNG et al SERIAL NO.: TO BE ASSIGNED DOCKET NO.: 1349.1333

FIG. 11E




FIG. 11F




FIG. 11G

